



**Toggle switch metal, matt, green - Toggle actuator green  
IP67/IP69K 3SU1062-2DL40-0AA0**



**Siemens**  
3SU1062-2DL40-0AA0  
4011209967502 EAN/GTIN

**23,66 GBP** excl. VAT\*\*  
plus shipping



14-16 days\* (GBR)

Toggle switch metal, matt, green 3SU1062-2DL40-0AA0 Number of switching positions 3, Design of the actuating element toggle, Suitable for lighting, Color of the actuating element green, Color of the indicator cap green, Design of the lens rectangular, hole diameter 30.5mm, width of the opening 38mm, Height of the opening 22.1mm, switching function latching, with front ring, material of the front ring metal, color of front ring gray, protection class (IP), front side IP67/IP69K, protection class (NEMA) 4X, toggle switch, illuminated, 30 mm, round, metal, matt, green, toggle, short, front ring for flat installation, 3 switching positions IO-II, latching, switching angle 2x45°, 10:30h/12h/13:30h SIRIUS ACT toggle switch for switching and controlling electrical consumers. Under the brand name SIRIUS ACT offers Siemens offers a unique portfolio of control and signaling devices with global product approvals in four modern design series made of robust real metal and high-quality plastic. The innovative snap-on The concept simplifies assembly to such an extent that only one hand and no special tools are required. Groove-free holes are sufficient as mounting holes, as 100% anti-twist protection is already integrated. Thanks to the consistently high degree of protection, the robust devices are suitable for industrial use and for outdoor use. Even cleaning with a high-pressure jet is possible. Neither dust, oil nor aggressive alkalis can disrupt reliable operation. In addition to the standard wiring, the devices can also be connected to the controller via PROFINET, AS-Interface or IO-Link. This reduces your wiring effort, minimizes sources of error and gains more flexibility. The graphic online configurator provides convenient support when selecting and ordering individual devices, housings and labels. Extensive documentation (e.g. manual, 3D data, connection diagram) is available. Available versions: several colours, 2-4 switching positions, short/long toggle or rotary knob, illuminated/non-illuminated (illumination can also be retrofitted), latching/button actuation. Note : Please order individual devices, holders and modules separately. SIRIUS ACT - performance in action for commands and signals. Simply assembled, simply strong, simply perfect.

**YOUR ADVANTAGES**



**WORLDWIDE TRADE**  
Corporate video eibmarkt®



**99% CUSTOMER SATISFACTION**  
> 500,000 customers worldwide



**DHL TRACK & TRACE**  
Shipment tracking



**COMPLAINTS HANDLING**  
Obliging and 100% safely



**25 YEARS OF EXPERIENCE**  
In worldwide mail order



**ORDER LIVE CHAT**  
With order history



**SHORT DELIVERY TIME**  
Warehousing



**REFUND**  
Within 14 days



**DATA PROTECTION**  
Guarantee

© 1997-2024 eibmarkt.com GmbH - Kemmlerstrasse 1 - 08527 Plauen - Germany

eibabo® and eibmarkt® are registered trademarks of EIBMARKT® GmbH holding company ([www.eibmarkt.de](http://www.eibmarkt.de)). eibabo® is a company of eibmarkt.com GmbH. eibmarkt.com GmbH is a 100% subsidiary of EIBMARKT® GmbH holding.

\* Note on delivery time: Day = Monday to Friday, no public holiday in Bavaria or Saxony. Goods are also delivered on Saturdays (DHL).

\*\* Payment methods may vary from country to country. All prices plus shipping and excluding customs duties or other additional costs (import sales tax) for deliveries outside the EU.

\*\*\* Savings compared to RRP = the manufacturer's recommended retail price. RRP is the price recommended to retailers by the manufacturer, importer or wholesaler as a resale price to the customer. The RRP is also referred to as the list price and is defined as the highest possible price that a buyer would pay for a specific product before any discounts (Source of gross list prices: Germany).

eibabo® the Smart Home technology shop  
eibabo® electronics cheap online order  
eibabo® electric appliances buy online

