

## Item Number EB17006589

https://www.eibabo.uk/siemens/switch-disconnector-3ld3-iu-32a-safety-switch-3-p-3ld3248-1tk53-eb17 006589



## Switch disconnector 3LD3 lu 32A - Safety switch 3-p 3LD3248-1TK53

×

Siemens

3LD3248-1TK53 4001869551067 EAN/GTIN

**32,88 GBP** excl. VAT\*\*

plus **shipping** 



14-16 days\* (GBR)

Switch disconnector 3LD3 lu 32A 3LD3248-1TK53 Design as a main switch Design as a maintenance/repair switch Design as a safety switch Design as an EMERGENCY STOP device Number of switches 1 Max. rated operational voltage Ue at AC 690V Rated uninterrupted current lu 32A Rated uninterrupted current at AC -23, 400 V 22A, rated continuous current at AC-21, 400 V 32A, rated operational power at AC-3, 400 V 9.5kW, rated short-time withstand current lcw 0.5kA, number of poles 3, number of auxiliary contacts as NC contacts 1, number of auxiliary contacts as changeover contact 0, device design built-in device, suitable for central front mounting, suitable for distributor installation, suitable for intermediate installation, color of the actuating element red, design of the actuating element short rotary handle, lockable, connection type main circuit box terminal, protection class (IP), IP65 on the front, degree of protection (NEMA) other, switch disconnector 3LD3, lu 32 A main switch 3-pole ig Rated operational power at AC-23 A at 400V 11.5kW Floor mounting Basic switch with door coupling Central hole mounting 22.5mm Rotary drive red/yellow 66 x 66mm with auxiliary switch 10E+1S The main and emergency stop switch 3LD for safe disconnection of loads in different environments. The possible uses of the 3LD3 line disconnectors are diverse. After disconnection from the mains, they ensure that all electrical equipment is safely isolated, switching, for example, three-phase motors, but also air conditioning and ventilation systems. 3LD3 are also predestined for the use of control or switching cabinets, especially for applications in small machines (e.g. saws, compressors, pumps, cement mixers, drills, milling machines and woodworking machines). The main features of the Siemens 3LD main and emergency stop switches are: 1. Modular design, quick and easy installation of auxiliary switches, N-PE terminal or 4th pole. 2. Versatile in use thanks to local approvals. 3. One mechanical size for five electrical sizes. 4. Can be used for

## YOUR ADVANTAGES



WORLDWIDE TRADE
Corporate video eibmarkt®



**COMPLAINTS HANDLING**Obliging and 100% safely



SHORT DELIVERY TIME
Warehousing



99% CUSTOMER SATISFACTION





25 YEARS OF EXPERIENCE In worldwide mail order



REFUND Within 14 days



DHL TRACK & TRACE
Shipment tracking



ORDER LIVE CHAT With order history



DATA PROTECTION
Guarantee

© 1997-2024 eibmarkt.com GmbH - Kemmlerstrasse 1 - 08527 Plauen - Germany

eibabo® and eibmarkt® are registered trademarks of EIBMARKT® GmbH holding company (www.eibmarkt.de). eibabo® is a company of eibmarkt.com GmbH. eibmarkt.com GmbH is a 100% subsidiary of EIBMARKT® GmbH holding.

\* Note on delivery time: Day = Monday to Friday, no public holiday in Bavaria or Saxony. Goods are also delivered on Saturdays (DHL).

\*\* Payment methods may vary from country to country. All prices plus shipping and excluding customs duties or other additional costs (import sales tax) for deliveries outside the EU.

\*\*\* Savings compared to RRP = the manufacturer's recommended retail price. RRP is the price recommended to retailers by the manufacturer, importer or wholesaler as a resale price to the customer. The RRP is also referred to as the list price and is defined as the highest possible price that a buyer would pay for a specific product before any discounts (Source of gross list prices: Germany).

eibabo® the Smart Home technology shop eibabo® electronics cheap online order eibabo® electric appliances buy online

